



**IPTA**  
International Patent  
& Trademark Agency

Company **AFINITICA TECHNOLOGIES, S. L.**

---

Address Edifici Eureka, Campus UAB, Bellaterra  
E-08193 Cerdanyola del Vallès

---

Publication number **WO/2015/059644**  
Application number **PCT/IB2014/065530**  
Publication date **2015-04-30**  
Filing Date **2014-10-22**

---

Publication number **WO/2015/059644**  
Application number **PCT/IB2014/065530**  
Publication date **2015-04-30**  
Filing date **2014-10-22**  
Company **AFINITICA TECHNOLOGIES, S. L.**  
Image mark



Pub. No. **WO/2015/059644**  
International Application No. **PCT/IB2014/065530**  
Publication Date **30.04.2015**  
International Filing Date **22.10.2014**  
IPC **C08K 3/34 (2006.01), C04B 28/18 (2006.01), C08F 22/32 (2006.01), C09J 4/00 (2006.01), C08F 222/32 (2006.01)**

Applicants  
Inventors  
Priority Data  
Title

**(EN) CYANOACRYLATE COMPOSITION(FR) COMPOSITION À BASE DE CYANOACRYLATE**

Abstract

**(EN)The present invention relates to a cyanoacrylate composition comprising a heterogeneous curing initiator which is a hydrated calcium silicate. The composition is suitable for repairing and filling depressions, cracks, or holes in a substrate or between substrates to be bonded. It also relates to an adhesive comprising said composition, to a syringe containing it, to a method for bonding substrates, to the use of said composition, and to the use of said hydrated calcium silicate as curing agent for cyanoacrylate compositions.(FR)La présente invention concerne une composition à base de cyanoacrylate comprenant un initiateur de durcissement hétérogène qui est un silicate de calcium hydraté. La composition est appropriée pour réparer et remplir des creux, des fissures ou des trous dans un substrat ou entre des substrats à coller. L'invention concerne également un adhésif comprenant ladite composition, une seringue contenant celui-ci, un procédé pour coller des substrats, l'utilisation de ladite composition, et l'utilisation dudit silicate de calcium hydraté en tant qu'agent de durcissement pour des compositions à base de cyanoacrylate.**

Designated States

**AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.**African Regional Intellectual Property Organization (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW)Eurasian Patent Organization (AM, AZ, BY, KG, KZ, RU, TJ, TM)European Patent Office (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR)African Intellectual Property Organization (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Publication Language

**English (EN)**

Filing Language

**English (EN)**